



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Ernest J. Storrer

Attorney Docket No. INJS-1-1003

Serial No.:

10/785,383

Group Art Unit:

3749

Filing Date: February 24, 2004

Examiner:

Lu, Jiping

Title:

SYSTEM AND METHOD FOR REMOVING MOISTURE FROM WATER

LADEN STRUCTURES

SUPPLEMENTAL RESPONSE TO FINAL OFFICE ACTION TRANSMITTAL LETTER

· TO THE COMMISSIONER FOR PATENTS:

Transmitted with this letter is

- Supplemental Response (5 pages) (1)
- (2) Return postcard

In the event additional fees are due as a result of this amendment, you are hereby authorized to charge such payment to Deposit Account No. 501050.

Respectfully submitted,

BLACK/LOWE & GRAHAMPLLC

Albert Richardson, Esq. Registration No. 27,701

Direct Dial: 206.287.0066

MAIL CERTIFICATE

I hereby certify that this communication is being deposited with the United States Postal Service via first class mail under 37 C.F.R. § 1.08 on the date indicated below addressed to: MAIL STOP AF Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

October 11, 2007
Date of Deposit

sin L. Barr

CUSTOMER NUMBER

BLACK LOWE & GRAHAM PLLC

701 Fifth Avenue, Suite 4800 Seattle, Washington 98104 206.381.3300 • F: 206.381.3301

INJS-1-1003T04

- 1 -



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant:

Ernest J. Storrer

Attorney Docket No. INJS-1-1003

)

Serial No.: 10/785,383

Group Art Unit:

3749

Filing Date: February 24, 2004

Examiner:

Jiping Lu

Title:

SYSTEM AND METHOD FOR REMOVING MOISTURE FROM WATER

LADEN STRUCTURES

SUPPLEMENTAL RESPONSE TO FINAL OFFICE ACTION

TO THE COMMISSIONER OF PATENTS:

SUPPLEMENTAL RESPONSE

Dear Sir:

On September 21, 2007 Applicant filed its Amendment and Response to the Final Office Action in this case dated March 21, 2007. Applicant wishes to supplement that response as follows in order to correct inadvertent typographical errors and an inadvertent omission.

BLACK LOWE & GRAHAM PLLC

25315

-1-

701 Fifth Avenue, Suite 4800 Seattle, Washington 98104 206.381.3300 • F: 206.381.3301